

FIG. 1




FIG. 2

SOFTWARE ARCHITECTURE




FIG 3

264260" 80/9E680

OPR

Project Options Help

A→A

Recorders

412

414 416 418 420 422 424 426 428

Mach, Trk ID *	Track Name	s	R	I	S	M	Gain	Offset	Mach, Trk ID	Track Name	s	R	I
105_1	Track 1						0 dB	00:00:00	105_2	Track 2			
105_2	Track 2						0 dB	00:00:00	105_3	Track 3			
105_3	Track 3						0 dB	00:00:00	105_4	Track 4			
105_4	Track 4						0 dB	00:00:00	105_5	Track 5			
105_5	Track 5						0 dB	00:00:00	105_6	Track 6			
105_6	Track 6						0 dB	00:00:00	105_7	Track 7			
105_7	Track 7						0 dB	00:00:00	105_8	Track 8			
105_8	Track 8						0 dB	00:00:00					
106_1	Track 1						0 dB	00:00:00					

Show All Rows

432

1 2 3 4 5 6 7 8

All None

434

00:00:00:00:00

436 < > >>

438 Commit

440

442

Master

Slave

Local

Online

Offline

444 446 448 450 452 454

442 444 446 448 450 452 454

456

Location:

01:00:00:00

458

460

462

464

472

In

474

Out

472 474

466

468

470

466

00:00:00:00

468

00:00:00:00

Project

Sync Bus: 1

AES Reference: \ES3

Time Remaining: 1 Track: 02:53:36

Figure 4

400

OPR

Project Options Help

A→A

<

Recorders

Mach.	Trk ID *	Track Name	s	R	I	S	M	Gain	Offset	Mach.	Trk ID	Track Name	s	R	I	S	M	Gain
7.1		Track 1						0 dB	00:00:00	7.3		Track 3						0
7.2		Track 2						0 dB	00:00:00	7.4		Track 4						0
4																		

Show All Rows

12345678

AllNone

00:00:00:00:00

<<< < > >>>

Commit

Players

Mach.	Trk ID *	Track	Fader	S	M	Gain	Offset	Mach.	Trk ID	Track	Fader	S	M
7.1		Track 1	0			0 dB	00:00:00	7.4		Track 4	0		
7.2		Track 2	0			0 dB	00:00:00	7.5		Track 5	0		
7.3		Track 3	0			0 dB	00:00:00	7.6		Track 6	0		
4													

Show All Rows

12345678

AllNone

00:00:00:00:00

<<< < > >>>

Commit

Relayer

Bias

Local

Online

Offline

<<<

<

■

>

>>>

Location:

01:00:00:00

4

In

Save In

00:00:00:00

Out

Save Both

00:00:00:00

Project Sync Bus 1 AES Reference \80FF0 Time Remaining (0 Track)

500